INDEX

Abies— Page
grandis, host plant of *Rhizina inflata*..... 94
lasiocarpa, host plant of *Herpotrichia nigra*..... 252–253
pectinata, host plant of *Rhizina inflata*..... 93
Acid—
formic, use with mercuric chlorid as a germicide..... 68–85, 87–89
hydrochloric, germicidal efficiency of..... 82–89
hydrocyanic—
content in *Sorghum vulgare*..... 179–185
determination of..... 184
in *Sorghum vulgare*, effect of available nitrogen on..... 180–184
Actinomyces chromogenus—
causal organism of potato scab..... 129
involution forms of..... 132–133
Aeroscope—
comparison of various types of..... 348–365
modified standard—
comparison of—
with Rettger aeroscope..... 355–358
with standard aeroscope..... 351–354
description of..... 347–348
tests of..... 354, 359–361
Rettger—
comparison of—
with modified standard aeroscope ... 355–358
with standard aeroscope..... 350–351
description of..... 348
tests of..... 349, 350, 362
standard—
comparison of—
with modified standard aeroscope.. 351, 354
with Rettger aeroscope..... 350–351
description of..... 347
Ageratum sp., host plant of *Bacterium solanacearum*..... 452–453
Agropyron smithii—
food plant of *Prosopothrips cognatus*..... 220–221
hibernation of *Prosopothrips cognatus* in..... 223
Air, methods of bacterial analyses of..... 343–368
Alfalfa hay—
chemical composition of..... 463
phosphorus content of..... 465, 468
protein content of..... 468
Algin, forms of, in kelp..... 47–50
Alkali—
injury to *Beta vulgaris* by..... 164–165
neutralization of, in soils..... 213
Amaranthus spp., food plants of *Diaprepes spengleri*..... 260–261
Amoeba radiata, development of, in soil..... 527
Andropogon—
furcatus, hibernation of *Prosopothrips cognatus* in..... 223
scoparius, hibernation of *Prosopothrips cognatus* in..... 222–223
sorghum, food plant of *Diaprepes spengleri festivus*..... 263
Anions, antagonism between—
as affecting barley yields on a clay-adobe soil..... 201–218
Anions, antagonism between—Continued. Page
relation to grain yields..... 211
relation to root production..... 211
Antagonism between Anions as Affecting Barley Yields on a Clay-Adobe Soil (paper)..... 201–218
Anthony, R. D., and Hedrick, U. P. (paper) Inheritance of Certain Characters of Grapes..... 315–330
Anthrax, disinfection of hides infected with spores of..... 65–92
Apple, bitter-rot of, sources of early infections of..... 59–64
Ascochyta clematidina—
control of..... 335–340
description of..... 335
isolation of..... 333–334
taxonomy of..... 334–335
Ascochyta Clematidina, the Cause of Stem-Rot and Leaf-Spot of Clematis (paper).. 331–342
Asparagus beetle. See *Crioceris asparagi*.
Asparagus-Beetle Egg Parasite (paper).... 303–314
Availability of the Nitrogen in Pacific Coast Kelps (paper)..... 21–38
Avena sativa, inoculation of, with *Puccinia graminis*..... 194–195
Avocado. See *Persea gratissima*.
Azotobacter chroococcum—
cytology of..... 225–240
granules in cells of..... 228–238

Bacillus—
amylovorus, source of infection of apple bitter-rot..... 61–64
anthracis, disinfection of hides infected with. 65–92
Bacteria, measurement of precipitation of, from air..... 363–365
Bacterial Disease of Lettuce, A (paper).... 475–478
Bacteriological Study of Methods for the Disinfection of Hides Infected with Anthrax Spores, A (paper)..... 65–92
Bacterium—
solanacearum—
causal organism of nasturtium wilt.... 451–458
cultural characters of..... 456
desiccation of..... 456
effect of, on tissues of *Tropaeolum majus* 455–456
inoculation of..... 451–453
isolation of..... 451
morphology of..... 456
natural methods of infection of..... 453–454
staining reactions of..... 456
temperature relations of..... 456
viridilividum—
causal organism of a bacterial disease of *Lactuca sativa*..... 477–478
cultural characters of..... 476–477
distribution of..... 477
isolation of..... 475–476
morphology of..... 477
Ball, beet seed, agency in dissemination of *Phoma betae*..... 173
Banana, root disease of..... 561–568

Page

Barley. See Hordeum.
Bean—
See *Phaseolus vulgaris.*
Bonavist. See *Dolichos lablab.*
Beet—
seed ball, agency in dissemination of *Phoma betae* ... 173
sugar. See *Beta vulgaris.*
Beetle, asparagus—
egg parasite of ... 303-314
See also *Tetrastichus asparagi.*
host of *Tetrastichus asparagi* ... 303-314
See also *Crioceris asparagi.*
Berry, inheritance of—
form of, in *Vitis* spp ... 325-326
size of, in *Vitis* spp ... 325
Beta vulgaris—
alkali injury of ... 164-165
control of *Phoma betae* on ... 174-177
damping-off of ... 135-140, 143-144, 149, 154, 159-161, 165
field-rot of ... 144-145
food plant of *Pemphigus betae* ... 241-250
host plant of *Rhizosporangium aphanidermatum* ... 279-292
inoculation of—
with *Phoma betae* ... 143-147
with *Phoma destructiva* ... 11
with *Rhizoctonia* sp ... 153-154
inoculation of leaves of—
with *Phyllosticta betae* ... 170-173
with *Phoma betae* ... 170-173
occurrence of *Phoma betae* on leaves of ... 169-178
Rhizoctonia sp. on ... 151-159
root sickness of ... 149-152, 154, 163-164
seed balls of, agency in dissemination of *Phoma betae* ... 173
seedling diseases of ... 135-168
storage-rot of ... 144-145
susceptibility of leaves of, to fungous infection ... 170-173
Bitter-rot, apple, sources of early infections of. 59-64
Bledo. See *Amaranthus* spp.
Blood—
dried—
ammonification of, comparison with kelps. 23-29
effect of kelps on ammonification of ... 29-33
effect of kelps on nitrification of ... 29-33
nitrification of, comparison with kelps ... 23-29
gipsy-moth caterpillar, pathology of ... 109-112
Bodos spp., development of, in soil ... 527
Bonazzi, A. (paper) Cytological Studies of Azotobacter Chroococcum ... 225-240
Bordeaux mixture, effect of, on leaf-spot and stem-rot of *Clematis paniculata* ... 336-337
Botrytis sp., occurrence of, on *Beta vulgaris* ... 163
Briggs, L. J., and Shantz, H. L. (paper) Influence of Hybridization and Cross-Pollination on the Water Requirement of Plants. 391-402
Brown, N. A. (paper) A Bacterial Disease of Lettuce ... 475-478
Bryan, M. K. (paper) A Nasturtium Wilt Caused by Bacterium Solanacearum ... 451-458
Butter, influence of *Opuntia* spp., on quality of ... 423-424

Page

Cajan indicum, food plant of *Diaprepes spengleri* ... 262-263
Cajanus indicus, syn. *Cajan indicum.*
Calcium sulphate and sodium sulphate, antagonism between ... 208-211
Cane, sugar. See *Saccharum officinarum.*
Canker—
apple-blotch, source of infection of apple bitter-rot ... 61-64
Citrus ... 97-100
Citrus, distribution of ... 97
Illinois apple-tree, source of infection of apple bitter-rot ... 61-64
pear-blight, source of infection of apple bitter-rot fungus ... 61-64
Capriola dactylon, food plant of *Diaprepes spengleri festivus* ... 263
Capsicum annuum, inoculation of, with *Phoma destructiva* ... 12
Carbohydrate, forms of, in kelp ... 47-50
Castanea vesca, host plant of *Rhizina inflata* ... 93
Castor-oil plant. See *Ricinus communis.*
Caterpillar, gipsy-moth. See *Porthetria dispar.*
Cell, color substance of sap of ... 295-296
Cellulose, percentage of, in kelp ... 50
Ceratonia spp., food plants of *Diaprepes spengleri spengleri* ... 261
Chenopodium album, food plant of *Pemphigus betae* ... 241
Chlorid, mercuric, germicidal efficiency of ... 68-85, 87-89
Chloroplast, relation of, to color of plants ... 295
Chromoplast, relation of, to color of plants ... 295
Chrysobalanus icaco, food plant of *Diaprepes spengleri marginatus* ... 258
Chrysopa oculata, parasite of *Prosopothrips cognatus* ... 223
Ciliate, development of, in culture solutions ... 519-526, 528-531, 533-540, 543-552, 554, 556
Citrus—
aurantiaca, food plant of *Diaprepes spengleri spengleri* ... 261
medica acida, food plant of *Diaprepes spengleri festivus* ... 263
canker ... 97-100
distribution of ... 97
Clematis—
Duchess of Edinburg, host plant of *Ascochyta clematidina* ... 335
hendersoni, host plant of *Ascochyta clematidina* ... 335
henryi, host plant of *Ascochyta clematidina* ... 335
Mad. Édouard André, host plant of *Ascochyta clematidina* ... 335
Mme. Baron Viellard, host plant of *Ascochyta clematidina* ... 335
paniculata, host plant of *Ascochyta clematidina* ... 331-335
ramona, host plant of *Ascochyta clematidina* 335
spp.—
host plants of *Ascochyta clematidina* ... 331-342
leaf-spot of ... 331-342
control of ... 335-340
stem-rot of ... 331-342
control of ... 335-340

Clematis—Continued. Page
virginiana, host plant of *Ascochyta clematidina*... 335
Cobb, N. A. (paper), Tylenchus Similis, the Cause of a Root Disease of Sugar Cane and Banana... 561–568
Coffea spp., food plants of *Diaprepes spengleri abbreviatus*... 262
Color—
cell-sap... 295–296
heredity of, in *Phlox drummondii*... 293–302
inheritance of, in *Vitis* spp... 320–323
nature of, in plants... 294–296
plastid... 295–296
Colpidium colpoda, development of, in soil... 518, 527, 541, 543, 556
Colpoda cucullus, development of, in soil... 527, 541, 556
Compsilura concinnata, parasite of *Porthetria dispar*... 102
Condylostoma patens, development of, in soil.. 556
Contribution to the Life History of Spongospora Subterranea, A (paper)... 265–278
Corn—
chemical composition of... 463
chop—
analysis of... 439–440
energy value of... 413–414
nutrients of, consumed by dairy cows... 440–442
Guinea. See *Andropogon sorghum*.
Indian. See *Zea mays*.
phosphorus content of... 465, 468
protein content of... 468
Corticium vagum, var. *solani*. See *Rhizoctonia* sp.
Cottonseed—
hulls—
effect of—
on body weights of dairy cows... 412, 439
on milk production... 411, 436–437
energy value of... 414
influence of, on milk fat... 422–423
nutrients of, digested by dairy cows. 413, 443–444
nutritive value of... 416–417
meal—
ammonification of, comparison with kelps. 23–29
analysis of... 439–440
energy value of... 413–414
nitrification of, comparison with kelps.. 23–29
nutrients of—
consumed by dairy cows... 440–442
digested by dairy cows... 443–444
Cottonwood. See *Populus* spp.
Cow, dairy—
amount of nutrients digested by... 413, 443–444
effect of different feeds on body weight of... 411–412, 437–439
effect of different feeds on milk production of... 411, 435–437
energy value of feed of... 413–414
prickly-pears as a feed for... 405–450
Crioceris asparagi, host of *Tetrastichus asparagi*... 303–314
Cross-pollination—
influence of, on the water requirement of plants... 391–402
of *Phlox drummondii*... 296–301
Crown-rot, relation of, to seedling diseases of *Beta vulgaris*... 135–168
Cytological Studies of Azotobacter Chroococcum (paper)... 225–240

Dactylis glomerata, host plant of *Puccinia graminis*... 194–195
Damping-off—
description of... 135
occurrence on *Beta vulgaris*... 135–140, 143–144, 149, 154, 159–161, 165
Datura tatula, inoculation of, with *Phoma destructiva*... 12
Degree of Resemblance of Parents and Offspring with Respect to Birth as Twins for Registered Shropshire Sheep (paper).... 479–510
Diaprepes—
famelicus... 263
spengleri... 256–263
description of... 256
distribution of... 257
food plants of... 258–263
immature stages of... 257
spp... 255–246
classification of... 256
control of... 263
distribution of... 255
varieties of... 257–263
abbreviatus... 261–262
comma... 258–260
denudatus... 263
festivus... 262–263
marginatus... 258
spengleri... 260–261
Disinfectant, germicidal efficiency of... 67–90
Dolichos lablab, food plant of *Diaprepes spengleri festivus*... 263
Dung, agency in dissemination of *Phoma betae*... 173–174

Edson, H. A. (paper)—
Rheosporangium Aphanidermatum, a New Genus and Species of Fungus Parasitic on Sugar Beets and Radishes... 279–292
Seedling Diseases of Sugar Beets and Their Relation to Root-Rot and Crown-Rot... 135–168
Effect of Temperature on Germination and Growth of the Common Potato-Scab Organism... 129–134
Effect on Soil Moisture of Changes in the Surface Tension of the Soil Solution Brought About by the Addition of Soluble Salts.. 187–192
Eggplant. See *Solanum melongena*.
Egregia—
menziesii—
forms of nitrogen in... 46
hydrolysis of... 50
sulphur in... 51
spp., organic constituents of... 39–56
Elymus—
canadense, food plant of *Prosopothrips cognatus*... 221
virginicus, food plant of *Prosopothrips cognatus*... 221
Encheyls pupa, development of, in soil... 527

Page

Ensilage, means of control of *Phoma betae* on *Beta vulgaris* ... 177
Errata ... V
Erysibe subterranea, syn. *Spongospora subterranea*.
Euchlaena mexicana—
comparison of dry matter produced by hybrid and parents of ... 398
comparison of water requirement of hybrid and parents of ... 394, 396
water requirement of ... 394, 396
Euglena spp., development of, in soil ... 542

Feces—
cow, analyses of ... 445
lamb—
analysis of ... 463–464
phosphorus content of ... 468–472
Feed—
analyses of ... 439–440, 445
effect of—
on body weights of dairy cows. 411–412, 437–439
on milk production of dairy cows.. 411, 435–437
energy value of ... 413–414
nutritive value of ... 416–417
phosphorus content of ... 465
Feterita. See *Sorghum vulgare*.
Fiber, wool—
breaking stress of ... 380–382, 390
elastic limit of ... 382–384, 390
tensile strength of ... 381–382
testing apparatus, description of ... 384–385
Field-rot, occurrence on *Beta vulgaris* ... 144–145
Filter—
liquid, effect of, on bacterial count of air. 358–359
sand, value of, in bacterial analyses of air.. 349
Fir—
alpine. See *Abies lasiocarpa*.
Douglas. See *Pseudotsuga taxifolia*.
Flagellate, development of, in culture solutions.... 520–526, 528–531, 534–540, 544–552, 554, 556
Formalin, germicidal efficiency of ... 84–85, 89–90
Fruit-rot of *Lycopersicon esculentum* ... 1–20
Further studies of the Embryology of Toxoptera Graminum (paper) ... 403–404

Genus, new ... 291
Gericke, W. F., and Lipman, C. B. (paper) Antagonism between Anions as Affecting Barley Yields on a Clay-Adobe Soil ... 201–218
Germination, potato-scab organism, effect of temperature on ... 129–134
Gilbert, A. W., Heredity of Color in Phlox Drummondii (paper) ... 293–302
Gipsy-moth caterpillar. See *Porthetria dispar*.
Glaser, R. W. (paper) Wilt of Gipsy-Moth Caterpillars ... 101–128
Glaucoma sp., development of, in soil.. 541–542, 556
Glomerella cingulata, sources of infection of... 59–64
Gloyer, W. O. (paper) Ascochyta Clematidina, the Cause of Stem-Rot and Leaf-Spot of Clematis ... 331–342
Grain—
digestibility of ... 418–421
yields of, relation to antagonism of anions.. 211
Grape—
inheritance of certain characters of ... 315–330
See also *Vitis* spp.
Grass—
Bahama. See *Capriola dactylon*.
Bermuda. See *Capriola dactylon*.
food plants of *Diaprepes spengleri* ... 260
orchard. See *Dactylis glomerata*.
Griffiths, D., et al. (paper) Prickly-Pears as a Feed for Dairy Cows ... 405–450
Grindley, H. S., et al. (paper) Phosphorus Metabolism of Lambs Fed a Ration of Alfalfa Hay, Corn, and Linseed Meal.... 459–473

Hasse, C. H. (paper) Pseudomonas Citri, the Cause of Citrus Canker ... 97–100
Heat, dry, means of control of *Phoma betae* on *Beta vulgaris* ... 174–175
Hedrick, U. P., and Anthony, R. D. (paper), Inheritance of Certain Characters of Grapes ... 315–330
Heredity of Color in Phlox Drummondii (paper) ... 293–302
Herpotrichia—
nigra, comparison with *Neopeckia coulteri*.. 251
quinqueseptata—
description of ... 252
distribution of ... 252–253
Hide—
disinfection of, effect on tanning ... 90–91
infected with anthrax spores, disinfection of 65–92
Hoagland, D. R. (paper) Organic Constituents of Pacific Coast Kelps ... 39–58
Hordeum—
jubatum, food plant of *Prosopothrips coquatus* ... 221
spp.—
inoculation of, with *Puccinia graminis*... 194
yields of, affected by antagonism of anions ... 201–218
Hybridization, influence of, on the water requirement of plants ... 391–402
Hydrocyanic-acid content in *Sorghum vulgare* ... 179–185
Hydrolysis of kelp ... 50

Influence of Hybridization and Cross-Pollination on the Water Requirement of Plants (paper) ... 391–402
Influence of Soil Moisture upon the Rate of Increase in Sugar-Beet Root-Louse Colonies (paper) ... 241–250
Inheritance of Certain Characters of Grapes (paper) ... 315–330
Insect, agency in dissemination of *Phoma betae* ... 173–174
Iodin, forms in kelp ... 52
Ipomoea batatas, food plant of *Diaprepes spengleri festivus* ... 263
Iridaea spp.—
forms of nitrogen in ... 46
hydrolysis of ... 50
organic constituents of ... 39–56
sulphur in ... 51
Irrigation water, agency in dissemination of *Phoma betae* ... 173–174

Jamieson, C. O. (paper) Phoma Destructiva, the Cause of a Fruit-Rot of the Tomato... 1–20
Jimson weed. See *Datura tatula*.
Jobo. See *Spondias lutea*.

Page

Johnston, F. A., Asparagus-Beetle Egg Parasite (paper) 303-314

Karraker, P. E., (paper) Effect on Soil Moisture of Changes in the Surface Tension of the Soil Solution Brought About by the Addition of Soluble Salts..... 187-192
Keith, M. H., et al. (paper) Phosphorus Metabolism of Lambs Fed a Ration of Alfalfa Hay, Corn, and Linseed Meal.... 459-473
Kelly, E. O. G. (paper) A New Wheat Thrips..... 219-224
Kelp—
  algin in..... 47-50
  carbohydrates in..... 47-50
  cellulose in..... 50
  distillation of..... 54-56
  feeding value of..... 53-54
  forms of sulphur in..... 51
  hydrolysis of..... 50
  nitrogen in..... 46
  iodin in..... 52
  Pacific coast, availability of nitrogen in.... 21-38
    organic constituents of..... 39-58
  utilization of by-products of..... 54
  See also Macrocystis, Nereocystis, Pelagophycus, Egregia, Iridaea, Laminaria.
Koch, G. P. (paper) Soil Protozoa 511-560
Kunkel, L. O. (paper) A Contribution to the Life History of Spongospora Subterranea. 265-278

Lactuca sativa, bacterial disease of..... 475-478
Lamb, phosphorus metabolism of..... 459-473
Lamb's-quarters. See *Chenopodium album*.
Laminaria andersonii—
  forms of nitrogen in..... 46
  hydrolysis of..... 50
  organic constituents of..... 39-56
  sulphur in..... 51
Larix—
  europaea, host plant of *Rhizina inflata*..... 93
  occidentalis, host plant of *Rhizina inflata*... 93-94
Leaf-spot, control of, on *Clematis paniculata*. 335-340
Lettuce—
  bacterial disease of..... 475-478
  See also *Lactuca sativa*.
Lime. See *Citrus medica acida*.
Linseed meal—
  chemical composition of..... 463
  phosphorus content of..... 465, 468
  protein content of..... 468
Lipman, C. B., and Gericke, W. F. (paper) Antagonism between Anions as Affecting Barley Yields on a Clay-Adobe Soil..... 201-218
Louse, root, sugar-beet, influence of soil moisture upon increase of..... 241-250
  See also *Pemphigus betae*.
Lycopersicon esculentum—
  fruit-rot of, caused by *Phoma destructiva*... 1-20
  host plant of *Bacterium solanacearum*..... 451
  inoculation of, with *Phoma destructiva*... 2-10, 12

Macrocystis pyrifera—
  ammonification of..... 34-35
    comparison with dried blood and cottonseed meal..... 23-29
Macrocystis pyrifera—Continued. Page
  availability of nitrogen in..... 21-38
  composition of ash of..... 24
  distillation of..... 55
  effect of, on ammonification and nitrification of dried blood..... 29-33
  forms of nitrogen in..... 46
  hydrolysis of..... 50
  nitrification of..... 34-35
    comparison with dried blood and cottonseed meal..... 23-26
  organic constituents of..... 39-56
  sulphur in..... 51
Macrosporium sp., occurrence of, on *Beta vulgaris*..... 163
Maize. See *Zea mays*.
Malus spp., bitter-rot of..... 59-64
Mangifera indica, food plant of *Diaprepes spengleri spengleri*..... 261
Mango. See *Mangifera indica*.
McKay, M. B., and Pool, V. W. (paper) Phoma Betae on the Leaves of the Sugar Beet..... 169-178
Medium, culture, use of, in bacterial analyses of air..... 363
Metabolism, phosphorus, of lambs..... 459-473
Methods of Bacterial Analyses of Air (paper)..... 343-368
Mercuric chlorid, germicidal efficiency of..... 68-85, 87-90
Milk—
  fat of, influence of *Opuntia* spp. on..... 422-423
  influence of *Opuntia* spp. on flavor of.... 423-424
  production of, effect of different feeds on.. 411, 435-437
Miller, R. F., and Tallman, W. D. (paper) Tensile Strength and Elasticity of Wool. 379-390
Mimosa spp., food plants of *Diaprepes spengleri spengleri*..... 261
Mistletoe, leafless, parasite of..... 369-378
Moisture—
  effect of, on growth of soil protozoa..... 519-525
  soil—
    effect on, of changes in the surface tension of the soil solution brought about by the addition of soluble salts..... 187-192
    influence upon rate of increase in sugar-beet root-louse colonies..... 241-250
Monas—
  gultula, development of, in soil..... 527
  vivipara, development of, in soil..... 527
Mucor sp., occurrence on *Beta vulgaris*..... 163
Mummy, apple, source of infection of bitter-rot..... 60-64
Musa sapientum, root disease of..... 561-568

Nassula elegans, development of, in soil.... 527
Nasturtium Wilt Caused by Bacterium Solanacearum, A (paper)..... 451-458
Nasturtium. See *Tropaeolum majus*.
Page
Neopeckia coulteri, comparison with *Herpotrichia nigra*..... 251
Nereocystis luetkeana—
  ammonification of, comparison with dried blood and cottonseed meal..... 23-26
  availability of nitrogen in..... 21-38
  composition of ash of..... 24

Nereocystis luetkeana—Continued. Page
effect of, on ammonification and nitrification of dried blood ... 29-33
forms of nitrogen in ... 46
hydrolysis of ... 50
nitrification of, comparison with dried blood and cottonseed meal ... 23-26
organic constituents of ... 39-56
sulphur in ... 51
New Leaf and Twig Disease of Picea Engelmanni, A (paper) ... 251-254
New Wheat Thrips, A (paper) ... 219-224
Nicotiana spp., host plant of *Bacterium solanacearum* ... 452
Nitrogen—
available, effect of, on hydrocyanic-acid content of *sorghum vulgare* ... 180-184
forms of, in kelp ... 46
in Pacific coast kelps, availability of ... 21-38
Norther, effect of, on milk yield of dairy cows fed with *Opuntia* spp ... 428-429
Notes on the Hydrocyanic-Acid Content of Sorghum (paper) ... 179-185
Nummularia discreta, source of infection of apple bitter-rot ... 61-64
Nutrient—
amount of—
consumed by dairy cows on different rations ... 440-442
digested by dairy cows on different rations ... 413, 443-444
digestibility of, in metabolism test of lambs ... 463-464

Oak. See *Quercus* spp.
Oats. See *Avena sativa*.
Observations on Rhizina Inflata (paper) ... 93-96
Offspring—
dairy cow, effect of *Opuntia* spp. on ... 426-427
Shropshire sheep, degree of resemblance to parents with respect to birth as twins. 479-510
Oospora scabies, syn. *Actinomyces chromogenus*.
Opuntia—
cyanella, use of, in feeding experiments with dairy cows ... 406-407
gommei, use of, in feeding experiments with dairy cows ... 406-407
spp.—
analysis of ... 439-440
comparative value of spiny and spineless varieties of ... 431-432
cost of harvesting ... 430-431
digestibility of ... 418-421
comparison with other feeds ... 445-450
effect of—
on body weight of dairy cows. 411-412, 437-439
on health of dairy cows ... 424-427
on milk production ... 411, 435-437
on offspring of dairy cows ... 426-427
on quantity of water drunk by dairy cows ... 428
northers on milk yield of cows fed with ... 428-429

Opuntia—Continued. Page
spp.—Continued.
energy value of ... 413-414
influence of—
on digestibility of other feeds ... 420-421
on flavor of milk ... 423-424
on milk fat ... 422-423
on quality of butter ... 423-424
laxative property of, effect of sodium chlorid upon ... 427
method of harvesting ... 430-431
nutrients of—
consumed by dairy cows ... 440-442
digested by dairy cows ... 413, 443-444
nutritive value of ... 416-417
use of, as maintenance ration of dry cows. 430
Orange. See *Citrus aurantiaca*.
Organic Constituents of Pacific Coast Kelps (paper) ... 39-58
Overwintering, means of control of *Phoma betae* on *Beta vulgaris* ... 175-176
Ozarks, occurrence of apple bitter-rot in ... 59-61

Panicum crus-galli, food plant of *Prosopothrips cognatus* ... 221
Paramecium spp., development of, in soil ... 527, 556
Parasite, asparagus-beetle egg. See *Tetrastichus asparagi*.
Parents, Shropshire sheep, degree of resemblance to offspring with respect to birth as twins ... 479-510
Parker, J. R. (paper) Influence of Soil Moisture upon the Rate of Increase in Sugar-Beet Root-Louse Colonies ... 241-250
Parthenium spp., food plant of *Diaprepes spengleri* ... 260-261
Pea, garden. See *Pisum sativum*.
Pelagophycus porra—
ammonification of, comparison with dried blood and cottonseed meal ... 23-26
availability of nitrogen in ... 21-38
composition of ash of ... 24
forms of nitrogen in ... 46
hydrolysis of ... 50
nitrification of, comparison with dried blood and cottonseed meal ... 23-26
organic constituents of ... 39-56
sulphur in ... 51
Pemphigus betae—
control of ... 250
influence of soil moisture upon increase of. 241-250
Pepper. See *Capsicum annuum*.
Peranema trichophorum, development of, in soil ... 527
Persea gratissima, food plant of *Diaprepes spengleri* ... 261-262
Phaseolus vulgaris, inoculation of, with *Phoma destructiva* ... 12
Phenol, germicidal efficiency of ... 68, 89-90
Phillips, W. J. (paper) Further Studies of the Embryology of Toxoptera Graminum. 403-404
Phlox drummondii—
cross-pollination of ... 296-301
heredity of color in ... 293-302

Phoma— Page
betae—
causal organism of field-rot of *Beta vulgaris*..... 144–145
causal organism of storage-rot of *Beta vulgaris*..... 144–145, 165
control of..... 148–151, 174–177
dissemination of..... 173–174
identity of, with *Phyllosticta betae*..... 140–141
inoculation of *Beta vulgaris* with..... 143–147
isolation of, from *Beta vulgaris*..... 138
morphology of..... 141–143
perpetuation of..... 147–148
relation of age of leaves of *Beta vulgaris* to infection by..... 170–173
relation of, to *Phyllosticta betae*..... 170–173
source of infection of..... 141
symptomatology of..... 169–170
taxonomy of..... 139–140
vitality of..... 143
destructiva—
character of spotting produced by..... 13
cultural characteristics of..... 14–16
description of..... 1–2, 13–14, 19
distribution of..... 17, 19
inoculation of *Beta vulgaris* with 11
inoculation of *Datura tatula* with..... 12
inoculation of *Lycopersicon esculentum* with..... 2–10, 12
inoculation of *Solanum tuberosum* with.. 10–11
mycelial growth of..... 13
pycnidial development of..... 13–14
pycnospores of..... 14
relation of temperature to growth of..... 17
taxonomy of..... 18–19
vitality of..... 16–17
Phoma Betae on the Leaves of the Sugar Beet (paper)..... 169–178
Phoma Destructiva, the Cause of a Fruit-Rot of the Tomato (paper)..... 1–20
Phosphorus—
amount of, ingested by lambs..... 465–467
comparison of, with protein in feed..... 468
daily balance of, in lambs..... 472
in feces of lambs..... 468–472
methods of analysis of..... 461–462
Phosphorus Metabolism of Lambs Fed a Ration of Alfalfa Hay, Corn, and Linseed Meal (paper)..... 459–473
Phyllodoce empetriformis, host plant of *Herpotrichia nigra*..... 252
Phyllosticta—
betae—
identity of, with *Phoma betae* 140–141
relation of age of leaves of *Beta vulgaris* to infection by..... 170–173
relation of, to *Phoma betae*..... 170–173
lycopersici, syn. *Phoma destructiva*.
solitaria, source of infection of apple bitter-rot..... 61–64
Picea—
engelmanni—
host plant of *Herpotrichia quinqueseptata*. 252
new leaf and twig disease of..... 251–254
vilkaensis, host plant of *Rhizina inflata*..... 93
Pierce, W. D. (paper) Some Sugar-Cane Root-Boring Weevils of the West Indies 255–264
Pigeon-pea. See *Cajan indicum*. Page
Pinus—
contorta, host plant of *Rhizina inflata*..... 94
divaricata, host plant of *Rhizina inflata*..... 93
maritima, host plant of *Rhizina inflata*..... 93
monticola, host plant of *Rhizina inflata*..... 93–94
pinaster, host plant of *Rhizina inflata*..... 93
ponderosa, host plant of *Rhizina inflata*..... 94
spp., host plants of *Neopeckia coulteri*..... 251
strobus, host plant of *Rhizina inflata*..... 93
sylvestris, host plant of *Rhizina inflata*..... 93
Pisum sativum, inoculation of, with *Phoma destructiva*..... 12
Plant—
chloroplasts of..... 295
chromoplasts of..... 295
nature of color of..... 294–296
plastid color substances of..... 295
water requirement of, influence of hybridization and cross-pollination on..... 391–402
Poa pratensis, hibernation of *Prosopothrips cognatus* in..... 223
Pool, V. W., and McKay, M. B. (paper) Phoma Betae on the Leaves of the Sugar Beet... 169–178
Populus—
angustifolia, source of infestation of *Pemphigus betae*..... 249
balsamifera, source of infestation of *Pemphigus betae*..... 249
spp., source of infestation of *Pemphigus betae*..... 243, 246, 249
Porthetria dispar—
distribution of wilt of..... 102–104
epidemiology of wilt of..... 102–104
etiology of wilt of..... 115–126
pathology of blood of..... 109–112
pathology of tissues of..... 109–112, 114
pathology of wilt of..... 104–115
relation of climate to wilt of..... 103–104
wilt of..... 101–128
Potato—
See *Solanum tuberosum*.
sweet. See *Ipomoea batatas*.
Potato-scab organism, effect of temperature on germination and growth of 129–133
Prickly-pear. See Opuntia.
Prickly-Pears as a Feed for Dairy Cows (paper)..... 405–450
Prorodon ovum, development of, in soil. 541–542, 556
Prosopothrips cognatus—
control of..... 223
description of..... 219–220
distribution of..... 219
enemies of..... 223
food plants of..... 220–221
generations of..... 220
hibernation of..... 222–223
injury to *Triticum* spp. by..... 221–222
life history of..... 219–220
Protein—
comparison of, with phosphorus in feed... 468
relation of, to gain in weight of lambs..... 462
Protozoa—
development of—
from field soils..... 531–542
from greenhouse soils..... 516–542
soil..... 511–560

Protozoa—Continued. Page
soil—Continued.
development of—
from compost soils..... 527
in culture solutions..... 517–556
effect of temperature on development of..... 542–557
method for counting..... 511–516
Pseudomonas citri, description of..... 99–100
Pseudomonas Citri, the Cause of Citrus Canker (paper)..... 97–100
Pseudotsuga—
douglasii, host plant of *Rhizina inflata*..... 93
taxifolia—
distillation of, comparison with *Macrocystis pyrifera*..... 55
host plant of *Rhizina inflata*..... 94
Psidium guajava, food plant of *Diaprepes spengleri spengleri*..... 261
Puccinia graminis—
avenae, inoculation of..... 194
growth of, in host plants..... 195–198
histology of hyphal invasion of..... 195–198
hordei, inoculation of..... 194
hyphæ of..... 195–198
immunity of certain plants to..... 193–198
resistance of certain plants to..... 193–198
tritici, inoculation of..... 194
Pythium debaryanum—
causal organism of damping-off of *Beta vulgaris*..... 159–161, 165
resemblance of, to *Rheosporangium aphanidermatum*..... 279

Quality, inheritance of, in *Vitis* spp..... 323–324
Quercus spp., distillation of, comparison with *Macrocystis pyrifera*..... 55

Radish. See *Raphanus sativus*.
Raphanus sativus, host plant of *Rheosporangium aphanidermatum*..... 279–292
Razoumofskya—
americana, host plant of *Wallrothiella arceuthobii*..... 372
douglasii, host plant of *Wallrothiella arceuthobii*..... 372
pusilla, host plant of *Wallrothiella arceuthobii*..... 370–372
Relation between Puccinia Graminis and Plants Highly Resistant to Its Attack (paper)..... 193–200
Rheosporangium—
description of..... 291
aphanidermatum—
description of..... 291
life history of..... 279–283
morphology of..... 279–289
resemblance to *Pythium debaryanum*..... 279
taxonomy of..... 289–291
Rheosporangium Aphanidermatum, a New Genus and Species of Fungus Parasitic on Sugar Beets and Radishes (paper)..... 279–292
Rhizina—
inflata—
host plants of..... 93–94
observations on..... 93–96
parasitism of..... 93–94
undulata, syn. *Rhizina inflata*.

Rhizoctonia sp.— Page
causal organism of diseases of *Beta vulgaris*.. 151–159, 165
conditions influencing infection by..... 155–159
description of..... 153
distribution of..... 154–155
inoculation of *Beta vulgaris* with..... 153–154
Rhizopus nigricans, causal organism of root sickness of *Beta vulgaris*..... 163–164
Ricinus communis, food plant of *Diaprepes spengleri festivus*..... 262
Rietz, H. L., and Roberts, E. (paper), Degree of Resemblance of Parents and Offspring with Respect to Birth as Twins for Registered Shropshire Sheep..... 479–510
Ripening season, effect of heredity on, in *Vitis* spp..... 326–327
Roberts, E., and Rietz, H. L. (paper) Degree of Resemblance of Parents and Offspring with Respect to Birth as Twins for Registered Shropshire Sheep..... 479–510
Roberts, J. W. (paper) Sources of the Early Infections of Apple Bitter-Rot..... 59–64
Root, production of, relation to antagonism between anions..... 211
Root louse, sugar-beet, influence of soil moisture upon increase of..... 241–250
See also *Pemphigus betae*.
Root-rot, relation of, to seedling diseases of *Beta vulgaris*..... 135–168
Root sickness—
description of..... 135–136
occurrence of, on *Beta vulgaris*..... 149–152, 154, 163–164
Rosa spp., food plants of *Diaprepes spengleri spengleri*..... 261
Ross, E. L., Keith, M. H., and Grindley, H. S. (paper) Phosphorus Metabolism of Lambs Fed a Ration of Alfalfa Hay, Corn, and Linseed Meal..... 459–473
Rot—
bitter, of apple, sources of early infections of 59–64
crown, relation of, to seedling diseases of *Beta vulgaris*..... 135–168
dry, of *Solanum tuberosum*, caused by *Spongospora subterranea*..... 272–273
field, occurrence of, on *Beta vulgaris*..... 144–145
fruit, of *Lycopersicon esculentum*..... 1–20
root, relation of, to seedling diseases of *Beta vulgaris*..... 135–168
storage, occurrence of, on *Beta vulgaris*... 144–145
Ruehle, G. L. A. (paper) Methods of Bacterial Analyses of Air..... 343–368
Rye. See *Secale cereale*.

Saccharum officinarum—
food plant of *Diaprepes* spp..... 255–264
root disease of..... 561–568
Salts—
effect of—
on physical properties of soil..... 191–192
on physical properties of soil solutions... 187
fertilizer, effect of, on moisture content of soils..... 189–191
relation of—
to growth of plants..... 215
to nitrification of soil..... 213–215
toxicity of, for *Hordeum* spp..... 203, 214–216
Sap, cell, color substance of..... 295–296

Page

Scab, potato, effect of temperature on germination and growth of 129–134
Schattenfroh, A., method of disinfecting hides 65–67, 87–89, 90–91
Secale cereale, inoculation of, with *Puccinia graminis* 194
Seed, relation of, to infection by *Phoma betae*. 141
Seedling Diseases of Sugar Beets and Their Relation to Root-Rot and Crown-Rot (paper) 135–168
Self-sterility, in *Vitis* spp 318–319
Sex, inheritance in *Vitis* spp 320
Seymour-Jones, A., method of disinfecting hides 65–67, 87–89, 90–91
Shantz, H. L., and Briggs, L. J. (paper) Influence of Hybridization and Cross-Pollination on the Water Requirement of Plants. 391–402
Shapovalov, M. (paper) Effect of Temperature on Germination and Growth of the Common Potato-Scab Organism 129–134
Sheep, Shropshire—
  degree of resemblance of parents and offspring with respect to birth as twins for. 479–510
Skin, color of, inheritance in *Vitis* spp 320–323
Soap agar, toxic effect of, on *Ascochyta clematidina* 338–339
Soap and sulphur, mixture of, effect on leaf-spot and stem-rot of *Clematis paniculata* .. 336–337
Sodium—
  carbonate—
    and sodium chlorid, antagonism between 206–207
    and sodium sulphate, antagonism between 207–208
    effect of, on soil 215
    toxicity of, for *Hordeum* spp 203–215
  chlorid—
    and sodium carbonate, antagonism between 206–207
    and sodium sulphate, antagonism between 204–206
    effect of, on laxative property of *Opuntia* spp 427
    germicidal efficiency of 74–78, 82–89
    toxicity of, for *Hordeum* spp 203, 214–216
  sulphate—
    and calcium sulphate, antagonism between 208–211
    and sodium carbonate, antagonism between 207–208
    and sodium chlorid, antagonism between 204–206
    toxicity of, for *Hordeum* spp 203, 214–216
  sulphid, germicidal efficiency of 76–7
Soil—
  effect of soluble salts on 187–192
  neutralization of alkali in 213
  relation of salts to nitrification of 213–215
  relation of, to infection—
    by *Rhizoctonia* sp 156–159
    by *Phoma betae* 141
Soil moisture—
  effect on, of changes in the surface tension of the soil solution brought about by the addition of soluble salts 187–192
  influence of, upon rate of increase in sugar-beet root-louse colonies 241–250

Page

Soil Protozoa (paper) 511–560
Solanum—
  melongena, inoculation of, with *Phoma destructiva* 10
  tuberosum—
    host plant of *Spongospora subterranea* 265
    infection of, by plasmodium of *Spongospora subterranea* 266–277
    inoculation of, with *Phoma destructiva* ... 10–11
Some Sugar-Cane Root-Boring Weevils of the West Indies (paper) 255–264
Sorghum—
  hay—
    analysis of 439–440
    digestibility of 418–421
    effect of—
      on body weight of dairy cows. 411–412, 437–438
      on milk production 411, 435
    energy value of 414
    influence of, on milk fat 422–423
    nutrients of—
      consumed by dairy cows 440–442
      digested by dairy cows 413, 443–444
    nutritive value of 416–417
  silage—
    effect of—
      on body weights of dairy cows 412, 438
      on milk production 411, 436
    energy value of 414
    influence of, on milk fat 422–423
    nutrients of, digested by dairy cows 413, 443–444
    nutritive value of 416–417
Sorghum vulgare—
  effect of available nitrogen on hydrocyanic-acid content of 180–184
  hydrocyanic-acid content of 179–185
Sorgo, Orange. See *Sorghum vulgare*.
Sources of the Early Infections of Apple Bitter-Rot (paper) 59–64
Species, new 99, 252, 291, 477
Sphaeria arceuthobii, syn. *Wallrothiella arceuthobii* 369
Spondias lutea, food plant of *Diaprepes spengleri* 260–261
Spongospora subterranea—
  infection of *Solanum tuberosum* by plasmodium of 266–277
  life history of 265–278
  production of plasmodia in spores of 275–277
  spore germination of 274–275
Spore, anthrax, disinfection of hides infected with 65–92
Spraying, effect of, on leaf-spot and stem-rot of *Clematis paniculata* 336–340
Stakman, E. C. (paper) Relation between Puccinia Graminis and Plants Highly Resistant to Its Attack 193–200
Stem-rot, control of, on *Clematis paniculata* 335–340
Stewart, G. R. (paper) Availability of the Nitrogen in Pacific Coast Kelps 21–38
Storage-rot, occurrence of, on *Beta vulgaris*. 144–145
Sugar beet—
  See *Beta vulgaris*.
  root louse. See *Pemphigus betae*.
Sugar cane—
  root-boring weevils of the West Indies ... 255–264
  See *Saccharum officinarum*.

Page

Sulphur—
forms of, in kelp 51–52
injurious effect of, on leaf-spot and stem-rot of *Clematis paniculata* 337–338
Sweet-potato. See *Ipomoea batatas*.
Syntherisma sanguinalis, food plant of *Prosopothrips cognatus* 221

Tallman, W. D., and Miller, R. F. (paper) Tensile Strength and Elasticity of Wool. 379–390
Tanning, effect of disinfection of hides upon. 90–91
Temperature—
effect of—
on development of soil protozoa 542–557
on germination and growth of potato-scab organism 129–134
relation of, to infection by *Rhizoctonia* sp... 159
Tensile Strength and Elasticity of Wool (paper) 379–390
Teosinte. See *Euchlaena mexicana*.
Tetrastichus—
asparagi—
comparison of, with *T. kylotomae* 304
description of 304
distribution of 305
feeding habits of 305
importance of 311–312
life history of 306–311
parasite of *Crioceris asparagi* 303–314
kylotomae, comparison of, with *T. asparagi*. 304
Thrips, wheat, a new 219–224
See also *Prosopothrips cognatus*.
Tilley, F. W. (paper) A Bacteriological Study of Methods for the Disinfection of Hides Infected with Anthrax Spores 65–92
Tissue, gipsy-moth caterpillar, pathology of 109–112, 114
Tobacco. See *Nicotiana* spp.
Tomato. See *Lycopersicon esculentum*.
Toxoptera graminum, embryology of 403–404
Trinema anchelys, development of, in soil 527
Triphleps insidiosus, parasite of *Prosopothrips cognatus* 223
Tripsacum dactyloides, hibernation of *Prosopothrips cognatus* in 223
Triticum—
aestivum, water requirement of 400
durum, water requirement of 399–400
vulgare, hibernation of *Prosopothrips cognatus* in 222–223
spp.—
comparison of water requirement of hybrid and parents of 399–400
food plant of *Prosopothrips cognatus* 220–221
injury to, by *Prosopothrips cognatus* ... 221–222
inoculation of, with *Puccinia graminis* ... 194
Tropaeolum majus—
effect of *Bacterium solanacearum* on tissues of 455–456
susceptibility of, to infection by *Bacterium solanacearum* 454–455
Tsuga—
heterophylla, host plant of *Rhizina inflata*.. 93–94
mertensiana, host plant of *Rhizina inflata*.. 93
Turner, W. F., et al. (paper) Prickly-Pears as a Feed for Dairy Cows 405–450

Page

Twins, Shropshire sheep, resemblance of parents and offspring of 479–510
Tylenchus—
devastatrix, syn. *T. dipsaci*.
dipsaci, comparison of, with *T. similis* 568
similis—
comparison of, with *T. dipsaci* 568
description of 562–567
distribution of 561–562, 567
Tylenchus Similis, the Cause of a Root Disease of Sugar Cane and Banana (paper).. 561–568

Urine, lamb—
analysis of 463–464
phosphorus content of 468–472
Urolaptus musculus, development of, in soil. 527

Variety, new 263
Verbena spp., host plants of *Bacterium solanacearum* 452–453
Vitis—
spp.—
cross-pollination of 315–330
effect of heredity on season of ripening of 326–327
inheritance in form of berry of 325–326
inheritance of color of skin of 320–323
inheritance of quality in 323–324
inheritance of sex in 320
inheritance of size of berry of 325
new varieties of 327
self-sterility of 318–319
vinifera, use of, in breeding experiments . 316–317
Vorticella spp., development of, in soil 541, 556

Wallrothiella Arceuthobii (paper) 369–378
Wallrothiella arceuthobii—
biology of 374–376
distribution of 370–372
ecology of 376–377
host plants of 370–373
morphology of 373–374
relation of, to taxonomy of its host plants. 372–373
Water—
irrigation, agency in dissemination of *Phoma betae* 173–174
requirement of plants, influence of hybridization and cross-pollination on 391–402
Weed, Jimson. See *Datura tatula*.
Weevil, root-boring, occurrence of, on *Saccharum officinarum* in West Indies 255–264
Weir, J. R. (paper)—
A New Leaf and Twig Disease of Picea Engelmanni 251–254
Observations on Rhizina Inflata 93–96
Wallrothiella Arceuthobii 369–378
West, R. M., and Willaman, J. J. (paper) Notes on the Hydrocyanic-Acid Content of Sorghum 179–185
West Indies, sugar-cane root-boring weevils of 255–264
Wheat—
bran—
analysis of 439–440
energy value of 413–414
nutrients of, consumed by dairy cows . 440–442
See *Triticum* spp.
thrips, new 219–224

Page
Willaman, J. J., and West, R. M. (paper) Notes on the Hydrocyanic-Acid Content of Sorghum 179-185
Wilt—
gipsy-moth caterpillar—
distribution of 102-104
epidemiology of 102-104
etiology of 115-126
pathology of 104-115
relation of climate to 103-104
nasturtium, caused by *Bacterium solanacearum* 451-458
Wilt of Gipsy-Moth Caterpillars (paper) 101-128
Wind, agency in dissemination of *Phoma betae* 173-174
Woodward, T. E., Turner, W. F., and Griffiths, D. (paper) Prickly-Pears as a Feed for Dairy Cows 405-450
Wool— Page
fiber—
breaking stress of 380-382, 390
elastic limit of 382-384, 390
tensile strength of 381-382
testing apparatus, description of 384-385
tensile strength and elasticity of 379-390

Zea mays—
comparison of dry matter produced by hybrid and parents of 398
comparison of water requirement of hybrid and parents of 392-400
effect of cross-pollination on water requirement of 401-402
effect of self-pollination on water requirement of 401-402
food plant of *Diaprepes spengleri festivus* 263
water requirement of 392-400